




Endless Innovation
Subvert perception


Revolutionary innovation
Ducted heat dissipation



Flood Light Series

1. Ducted heat dissipation


(World's First+Improve heat dissipation efficiency by 40%)



Light body with a hollow flow channel design




Complex ducted "three-layer heat dissipation"



Flood Light Series

2. High-end appearance: (Minimalist appearance + exquisite aesthetics)



ADC12 Full Aluminum Body



Flood Light D Series

3. Full Power Range (9W-150W+DMX Control)



9W-15W

18W-24W

30W-36W

45W-60W

70W-80W

90W-100W

120W-150W






Flood Light Series

4. Small body, big power
(High-efficiency heat dissipation+High power LEDs)




100W (6pcs LED)



Flood Light Series

5. High-Power LED as Standard
(High efficacy heat dissipation and light output)

CREE 



**CREE/XPL/Single Color
10W/20W/LED**

CREE 




**CREE/XML/RGBW
10W/20W/LED**



Flood Light Series


6. Full range beam angle

(3.3°-60° Precision Optics + High Intensity in center)



Flood Light Series

7. Full structural waterproof (Long Life + Easy Maintenance)



Easy Disassembly
More Environment-friendly



Flood Light Series

8. More option Anti-Glare way (Cup Design+more option anti-glare accessories)



12mm Cup Design + Anti-Glare Ring

Light Loss: $\leq 5\%$



12mm Cup Design + Cross Grille

Light Loss: $\leq 10\%$



12mm Cup Design +
two Ring Cross Grille

Light Loss: $\leq 15\%$




12mm Cup Design + Aluminum Honeycomb

Light Loss: $\leq 25\%$



Flood Light Series

9. Two Rotation Precise Bracket (Easy Installation + Nice Structure)





Hidden Install



Flood Light Series

10. Specific

1. OD6501





Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
9-15	DC24V	6/10/20/30	RGBW	2700K-5500K	RGBW	3000K	DMX512	20W/1pcs	Matte Black/ Customized color
					40lm/w	80lm/w			



Flood Light Series

10. Specific

2. OD8001





Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
18-24	DC24V	10/20/30	RGBW	2700K-5500K	RGBW 40lm/w	3000K 80lm/w	DMX512	10W/4pcs	Matte Black/ Customized color



Flood Light Series

10. Specific

3. OD11001





Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
30-36	AC220V	10/20/30	RGBW	2700K-5500K	RGBW	3000K	DMX512	10W/6pcs	Matte Black/ Customized color
					40lm/w	80lm/w			



Flood Light Series

10. Specific

4. OD12001






Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
45-60	AC220V	6/10/20/30	RGBW	2700K-5500K	RGBW	3000K	DMX512	20W/4pcs	Matte Black/ Customized color
					40lm/w	80lm/w			



Flood Light Series

10. Specific

5. OD14001




Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
70-80	AC220V	6/10/20/30	RGBW	2700K-5500K	RGBW	3000K	DMX512	20W/5PCS	Matte Black/ Customized color
					40lm/w	80lm/w			



Flood Light **OD** Series

10. Specific

6. OD16001





Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
90-100	AC220V	6/10/20/30	RGBW	2700K-5500K	RGBW 40lm/w	3000K 80lm/w	DMX512	20W/6pcs	Matte Black/ Customized color



Flood Light Series

10. Specific

7. OD19001



Power(W)	Voltage	Standard Angle	Color Temperature		Light Efficiency		Control	LED	Appearance Color
120-150	AC220V	6/10/20/30	RGBW	2700K-5500K	RGBW	3000K	DMX512	20W/9pcs	Matte Black/ Customized color
					40lm/w	80lm/w			



